



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/786,450

02/25/2004

Michael Jack Zakharoff

ID-911 (80235)

4905

89137

7590

03/10/2010

Allen, Dyer, Doppelt, Milbrath & Gilchrist - RIM

255 S. Orange Avenue

Suite 1401

Orlando, FL 32801

EXAMINER

KEEHN, RICHARD G

ART UNIT

PAPER NUMBER

2456

NOTIFICATION DATE

DELIVERY MODE

03/10/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

creganoa@addmg.com

portfolioprossecution@rim.com

Office Action Summary	Application No. 10/786,450	Applicant(s) ZAKHAROFF, MICHAEL JACK	
	Examiner RICHARD G. KEEHN	Art Unit 2456	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 December 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 April 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claims 1-30 have been examined and are pending.

Response to Arguments

1. Applicant's arguments, see pages 1-5, filed 12/30/2009, with respect to the rejection(s) of claim(s) 1-30 under 35 U.S.C. 103(a) have been fully considered and are persuasive with respect to the Hamilton et al. reference. (Examiner disagrees with Applicants arguments on the reason to combine references for the same reasons discussed in the previous Office action) Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of US 6,282,565 B1 (Shaw et al.), and further in view of US 2004/0236966 A1 (D'Souza et al.) and US 7,085,812 B1 (Sherwood).

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the limitations of Claim 1 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

3. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure

Art Unit: 2456

number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet” pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. Clearly, figures 3 and 4 contradict the claimed limitation “moving email messages having a common characteristic with a successfully delivered email message from said second queue to said first queue”. In stark contrast to the claimed limitation, Figure 4 shows that the **only** path a message can take having a **“shared common characteristic” (Fig 4, element 70)** is to HQ, the slower queue, NOT to FQ, the faster queue, either after it is first generated in Figure 4, element 60 (which is not from a second queue) or after a delivery failure from FQ (Figure 4, element 63, which is also not from a second queue). According to the claim limitation “moving email messages stored in said first queue to a second queue based on receipt of a delivery failure status”, HQ must be the second queue, a slower queue, because as Figure 4 depicts, the message is moved from FQ to HQ after the delivery failure. Looking at Figure 4, element 63, if a delivery failure exists at FQ, the message is moved from FQ into HQ. In

Art Unit: 2456

addition, the claim language clearly indicates that the second queue's sending rate is slower than the first queue's sending rate. Therefore HQ must be a slower queue than FQ as claimed. Therefore there is no movement from the second queue to the first queue based on a common characteristic, let alone a common characteristic of a successfully delivered email message. Therefore, Figure 4 contradicts that which is claimed in Claim 1. Figure 3 further clouds the invention. According to Figure 3, element 66, if a message sent from a slower queue is successful, it's moved from SQ to FQ? How is this possible? The message is gone, sent to the recipient and is therefore no longer available to be moved to FQ. The drawings contradict the claims and contradict Applicant's arguments. Reading Applicant's arguments, Examiner believes that Applicant is trying to convey that a message (sitting in the second queue, placed there because it failed to be sent to the recipient while it was in FQ) that has a common characteristic (e.g. same target address) with ANOTHER message that had been successfully sent will be moved from a second queue to a first queue once it is determined that the message sitting in the second queue has said common characteristic with said ANOTHER successfully sent message. However, the drawings do not depict this. The only path from the second queue to the first queue in Figure 4 occurs only after the message sitting in the second queue had attempted to be delivered and was detected to be delivered successfully. First of all, no "common characteristic" check is performed in this path. Second the path from the second queue to the first queue makes absolutely no sense. If the message sitting in the second queue was successfully delivered, it's gone, and not available to be sent to the first

Art Unit: 2456

queue to allegedly be sent again. (Figure 4 path 71-66-72-73-66-77 shows the message being sent in both elements 66 and 77) In stark contrast, the claims suggest that while a message is in a second queue (e.g. HQ), if some detection occurs such that ANOTHER message having a common characteristic as the message sitting in the second queue is successfully delivered, then the message sitting in the second queue will be moved to the first queue and subsequently sent at the faster sending rate. The figures contradict the claims and are therefore objected to.

Claim Rejections - 35 USC § 103

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. Claims 1-2, 4-6, 8-11, 13-15, 17-18, 20-22, 24-25 and 27-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 6,282,565 B1 (Shaw et al.), and further in view of US 2004/0236966 A1 (D'Souza et al.) and US 7,085,812 B1 (Sherwood).

As to Claims 1, 10, 17 and 24, Shaw et al. disclose a communications system, delivery server, electronic mail communications method and computer-readable medium having computer-executable instructions for performing steps, hereafter referred to as the "system", comprising:

at least one destination server for hosting a plurality of electronic mail (email) message boxes (Shaw et al. – Figure 1, Item 110 discloses the Incoming Email Server);

a plurality of communications devices for generating email messages each associated with a respective message box (Shaw et al. – Figure 1, items 171, 173, 175, 161, 162 and 16n disclose communications devices generating email messages with user mailboxes); and

a delivery server comprising a plurality of queues and a controller for (Shaw et al. – Figure 1, items 100, 140, 151, 153 and 155 disclose the Enterprise Email System, Email Queuing and Mailbox System comprising mail queues);

moving email messages stored in said first queue to a second queue based upon receipt of a delivery failure message (Shaw et al.—Column 11, lines 40-46 disclose the email message being rerouted based on delivery timeout failure. A timeout failure indication is a message that is received by the logic using the timeout information. The claim does not specify the origin of the message), and

the email messages generated by said communications devices (Shaw et al. – Column 1, lines 36-39 disclose email messages being generated by users); and

with a successfully delivered email message (Shaw et al.—Column 11, lines 40-46 disclose the email message being rerouted based on status of delivery timeout failure. Figure 4 element 414 discloses the detection of successful email message delivery).

Shaw et al. disclose the email delivery server with queues, but do not explicitly disclose storing in a first queue, and attempting to send to said at least one destination server at a first sending rate; and attempting to send stored in said second queue to

Art Unit: 2456

said at least one destination server at a second sending rate less than the first sending rate; and moving from said second queue to said first queue, but D'Souza et al. disclose

storing in a first queue, and attempting to send to said at least one destination server at a first sending rate (D'Souza et al. – Page 2, ¶ [0028] disclose the decision engine storing packets in a faster send rate queue if the source address is found or a slower send rate queue if the source address is not found. ¶ [0029] discloses that there can be multiple levels of queues with gradually slower send rates. Figure 3 discloses sending at multiple rates depending on which queue the packet is placed into),

attempting to send stored in said second queue to said at least one destination server at a second sending rate less than the first sending rate (D'Souza et al. – Page 2, ¶ [0028] disclose the decision engine storing packets in a faster send rate queue if the source address is found or a slower send rate queue if the source address is not found.), and

moving from said second queue to said first queue (D'Souza et al. - Page 2, ¶ [0030] discloses the common characteristic of status of whether the source address is known; D'Souza et al. – Page 2, ¶ [0028] disclose the decision engine storing packets in a faster send rate queue if the source address is found or a slower send rate queue if the source address is not found. ¶ [0029] discloses that there can be multiple levels of queues with gradually slower send rates. Figure 3 discloses sending at multiple rates depending on which queue the packet is placed into).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine sending data at fast, then gradually slower sending

Art Unit: 2456

rates and moving data to be sent into queues based on send rate, both up in rate and down taught by D'Souza et al., with a delivery server comprising a plurality of queues and a controller for moving email messages stored in said first queue to a second queue based upon a delivery failure taught by Shaw et al.

One of ordinary skill in the art at the time the invention was made would have been motivated to mitigate the effects of transmission flooding by those deemed to have adverse effect on communication throughput (D-Souza et al. - ¶ [0014]).

The combination of Shaw et al. and D'Souza et al. discloses the email delivery server with queues and detection of email message delivery success or failure, but do not explicitly disclose having a common characteristic with a successfully delivered message, but Sherwood discloses

having a common characteristic with a successfully delivered message (Sherwood discloses the table of email recipients with status of successful delivery confirmation and the delivery confirmation list— Figure 2, elements 250, 245, 200; Figure 3, elements 300, 320 and 330; Column 4, lines 45-47).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine having a common characteristic with a successfully delivered message taught by Sherwood, with detecting success or failure of email delivery taught by the combination of Shaw et al. and D'Souza et al.

One of ordinary skill in the art at the time the invention was made would have been motivated to provide selective application of email delivery options (Sherwood – Column 2, lines 23-29).

As to Claims 2, 11, 18 and 25, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the system of Claims 1, 10, 17 and 24 respectively, wherein the delivery failures are based upon a failure to deliver email messages to respective message boxes (Shaw et al.—Column 11, lines 40-46 disclose the email message being rerouted based on status of delivery timeout); and

wherein the common characteristic comprises a common message box (D'Souza et al. - Page 2, ¶ [0030] discloses the common characteristic of status of whether the source address is known).

The motivation and obviousness arguments are the same as in Claim 1.

As to Claims 4, 13, 20 and 27, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the system of Claims 1, 10, 17 and 24 respectively, wherein said controller stores directly in said second queue email messages generated by said communications devices sharing the common characteristic with an email message already stored in said second queue (D'Souza et al. – Page 2, ¶ [0028] discloses direct storage into the slower queue based on the common status of unknown source address; Shaw et al. discloses email messages as previously discussed).

The motivation and obviousness arguments the same as in Claim 1.

As to Claims 5, 14, 21 and 28, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the system of Claims 1, 10, 17 and 24 respectively, wherein said

Art Unit: 2456

second queue comprises a plurality thereof arranged in a hierarchy each having a respective storage interval associated therewith (D'Souza et al. – Page 2, ¶¶ [0028 – 0029] disclose multiple classes of queues being serviced from highest to lowest rate),

the storage intervals successively increasing from a highest queue in the hierarchy to a lowest queue (D'Souza et al. – Page 2, ¶¶ [0028 – 0029] disclose multiple classes of queues being serviced from highest to lowest rate);

wherein said controller moves email messages stored in said first queue to one of the queues in the hierarchy based upon a delivery failure (Shaw et al.—Column 11, lines 40-46 disclose the email message being rerouted based on delivery timeout); and

wherein said controller moves email messages stored in a higher queue in the hierarchy to a next lower queue in the hierarchy after being stored in said higher queue for the storage interval thereof (Shaw et al.—Column 11, lines 40-46 disclose the email message being rerouted based on delivery timeout).

The motivation and obviousness arguments are the same as in Claim 1.

As to Claims 6, 15, 22 and 29, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the system of Claims 5, 14, 21 and 28 respectively, wherein said controller attempts to send messages from each of said queues in the hierarchy at successively decreasing sending rates from said highest queue to said lowest queue (D'Souza et al. – Page 2, ¶ [0029] discloses multiple classes of queues between fastest to slowest).

The motivation and obviousness arguments are the same as in Claim 1.

As to Claim 8, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the communications system of Claim 1 wherein at least one of said plurality of communications devices comprises a wireless communications device (Shaw et al. – Column 1, lines 22-27 discloses internet which one of ordinary skill in the art at the time the invention was made would know to include wireless devices such as phones (line 17), pda's, laptops etc.).

As to Claim 9, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the communications system of Claim 1 further comprising a wide area network (WAN) connecting said at least one destination server and said delivery server (Shaw et al. – Column 1, lines 22-27 discloses internet which one of ordinary skill in the art at the time the invention was made would know to include wide area networks).

7. Claims 3, 12, 19 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shaw et al., D'Souza et al. and Sherwood as applied to claims 1, 10, 17 and 24 above respectively, and further in view of US 2003/0145106 A1 (Brown).

As to Claims 3, 12, 19 and 26, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the system of Claims 1, 10, 17 and 24 respectively,

wherein the delivery failures are based upon a failure to deliver email messages to said destination servers (Shaw et al.—Column 11, lines 40-46 disclose the email message being rerouted based on status of delivery timeout); and

wherein the common characteristic comprises having respective message boxes hosted by a common destination server (D'Souza et al. – Page 2, ¶ [0028] discloses direct storage into the slower queue based on the common status of unknown source address).

The combination of Shaw et al., D'Souza et al. and Sherwood does not explicitly disclose wherein said at least one destination server comprises a plurality of destination servers, but Brown discloses wherein said at least one destination server comprises a plurality of destination servers (Brown – Page 2, paragraph [0026] discloses the group of email servers).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine wherein said at least one destination server comprises a plurality of destination servers taught by Brown with at least one destination server for hosting a plurality of electronic mail (email) message boxes taught by the combination of Shaw et al., D'Souza et al. and Sherwood.

One of ordinary skill in the art at the time the invention was made would have been motivated to provide an intermediary to improve network traffic flow (Brown – Page 1, paragraphs [0005-0007]).

Art Unit: 2456

8. Claims 7, 16, 23 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Shaw et al., D'Souza et al. and Sherwood as applied to claims 5, 14, 21 and 28 above respectively, and further in view of US 5,632,011 (Landfield et al.).

As to Claims 7, 16, 23 and 30, the combination of Shaw et al., D'Souza et al. and Sherwood discloses the system of Claims 5, 14, 21 and 28 respectively.

The combination of Shaw et al., D'Souza et al. and Sherwood does not disclose wherein said controller discards messages from said lowest queue in the hierarchy after being stored therein for the storage interval thereof, but Landfield et al. discloses wherein said controller discards messages from said lowest queue in the hierarchy after being stored therein for the storage interval thereof (Landfield et al. – Column 2, lines 12-22 disclose the deletion of undeliverable messages from the queue. The fact that it is determined undeliverable is the same as the applicant's determination on non-deliverability based on failure to deliver at the lowest queue).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine wherein said controller discards messages from said lowest queue in the hierarchy after being stored therein for the storage interval thereof taught by Landfield et al., with wherein said controller moves email messages stored in said first queue to one of the queues in the hierarchy based upon a delivery failure taught by the combination of Shaw et al., D'Souza et al. and Sherwood.

One of ordinary skill in the art at the time the invention was made would have been motivated to improve management of email by allowing undeliverable emails to be discarded (Landfield et al. – Column 1, lines 56-61).

Examiner Notes

- 9.** Examiner recommends looking to the specification's ¶ [0038] for disclosed subject matter that does not appear to have been claimed. Inclusion *in sufficient detail* and *in independent form* may help to overcome the cited prior art.
- 10.** Examiner recommends expanding the definition of “*sending rate*” in independent form. “Sending rate” is a very broad phrase and can be interpreted many different ways, even in view of the specification. Be specific about what is meant by the phrase “sending rate.” Doing so, along with the previous recommendation, may overcome the cited prior art.
- 11.** The aforementioned recommendations do not necessarily indicate allowable subject matter. Further search and/or reconsideration may be required depending on any response. The recommendations are presented to assist in advancing prosecution. Any decision on whether the aforementioned recommendations overcome the prior art will need to be determined after seeing any proposed amendments and/or arguments.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. These were included in a previous Office action.

Art Unit: 2456

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RICHARD G. KEEHN whose telephone number is (571)270-5007. The examiner can normally be reached on Monday through Thursday, 9am - 8pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Rupal D. Dharia/
Supervisory Patent Examiner, Art
Unit 2400

RGK